


Concealed Dorma ITS96 2-4 Closer


FD30

DFT794P

Perspective - door open




Isometric - Door Head





Notes

- a. Include intumescent gasket kit supplied by Dorma.
- b. Where vision panels are included in the leaf a margin of at least 175mm between the door head and the top of the aperture is required.



forza-doors.com

01403 711 126

info@forza-doors.com

TITLE	Concealed Dorma ITS96 2-4 Closer
CODE	
SHEET	1 of 3
DATE	16/08/2014
ISSUE	1
DWG No.	FZD0690


FIRE RATING	FD30
CORE TYPE	44mm FCS
FRAME TYPE	Timber - DFT794P

Concealed Dorma ITS96 2-4 Closer


FD30

DFT794P


Door Head



Vertical Section



Isometric - Door Leaf Head



forza-doors.com
01403 711 126
info@forza-doors.com


TITLE	Concealed Dorma ITS96 2-4 Closer	FIRE RATING	FD30
CODE		CORE TYPE	44mm FCS
SHEET	2 of 3	FRAME TYPE	Timber - DFT794P
DATE	16/08/2014		
ISSUE	1		
DWG No.	FZD0690		


Concealed Dorma ITS96 2-4 Closer


FD30


DFT794P

Exploded Isometric



 forza-doors.com

 01403 711 126

 info@forza-doors.com

TITLE	Concealed Dorma ITS96 2-4 Closer
CODE	
SHEET	3 of 3
DATE	16/08/2014
ISSUE	1
DWG No.	FZD0690

FIRE RATING	FD30
CORE TYPE	44mm FCS
FRAME TYPE	Timber - DFT794P