



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: FRTD497

Certificate only valid if verified on website – www.ifccertification.com

Issued by IFC Certification Ltd, part of the Kiwa UK Group

This is to certify that

Forza Doors Limited

Star Road Trading Estate
24a/24c Star Road
Partridge Green, Horsham
West Sussex, RH13 8RA
Tel: +44 (0)1403 711126
Email: technical@forza-doors.com

Who fabricate the following timber fire doors and or doorsets:

FORZA FD30 / FD30S Flush Doors.
FORZA FD60 / FD60S Flush Doors.
FORZA FD90 / FD90S Flush Doors.
FORZA FD120 / FD120S Flush Doors.

have satisfied the requirements of the SDP01 Timber Fire Door scheme. This includes the testing of products to **BS476: Part 22 and Part 31**, the inspection of their Factory Production Control continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes** integrity are detailed on page 2 of this certificate.

Initial Certification: 25 November 2010
Revised: 23 February 2024
Valid to: 24 November 2025
Issue number: 9

David Mowatt
Head of Certification – IFC Certification /
KIWA Group Limited

*This certificate consists of 2 pages.
Publication of this certificate is permitted.*

CERTIFICATE



The production of fire-resistant timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following tables:

Doorset Description	Fire Rating	Assessment/Test Report
Flush Doors	FD30	PAR/10321/01
Flush Doors	FD60	PAR/10896/01
Flush Doors	FD90	PAR/10918/01
Flush Doors	FD120	PAR/10922/01
FCFM 40/FCFM 41	FD30 & FD60	PAR/11957/01

Signed on behalf of Kiwa UK

David Mowatt
 Head of Certification – IFC Certification /
 KIWA Group Limited

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder’s responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.

CERTIFICATE

