

Initial Certification: 25 November 2010
Re-issued: 05 February 2026
Valid to: 24 November 2030 **Issue No:** 12

Issued by **IFC Certification Ltd** part of the Kiwa UK Group

This is to certify that

Forza Doors Limited

Star Road Trading Estate
24a/24c Star Road
Partridge Green, Horsham
West Sussex, RH13 8RA
Tel: +44 (0)1403 711126
Email: technical@forza-doors.com

Who fabricate the following fire rated timber doorsets:

FORZA Flush Doors FD30 / FD30S.
FORZA Flush Doors FD60 / FD60S.
FORZA Flush Doors FD90 / FD90S.
FORZA Flush Doors FD120 / FD120S.
Moralt LAMINESSE FireSound / Plus FD30, FD60.

have satisfied the requirements of the SDP 01 Timber Fire Door scheme v3.9. This includes the testing of products to **BS476: Part 22: 1987 and BS476: Part 31.1: 1983**, the inspection of their Factory Production Control continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed on page 2 of this certificate.



David Mowatt
Head of IFC Certification /
Kiwa UK

This certificate consists of 2 pages. Publication of this certificate is permitted



The production of fire-resistant timber doorsets are manufactured in accordance with the assessment/ test reports referenced within the following table:

Product Description	Fire Rating	Assessment/ Test Report
Forza Flush Doors	FD30	PAR/10321/01
Forza Flush Doors	FD60	PAR/10896/01
Forza Flush Doors	FD90	PAR/10918/01
Forza Flush Doors	FD120	PAR/10922/01
FCFM 40/FCFM 41	FD30, FD60	PAR/11957/01
LAMINESSE FireSound 54 / 59 LAMINESSE FireSound Plus 54	FD30, FD60	WF409922
Mann McGowan DD-1703, DD420S, TD5, ACS-1	Smoke	WYC419113/01, /02*
Sealed Tight Solutions ST1009, ST1504, ST422	Smoke	BMT/FEP/F15289*, BMT/MTP/F14152/01, /02* W18258-4*
Pyroplex 8712, 30155, 30165, 30175, 30141	Smoke	MTPF14092-01, -02, -03* Chilt/P13009/01 to /05*

Signed on behalf of Kiwa UK



David Mowatt
Head of IFC Certification /
Kiwa UK

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

*Refer to Technical Note TN/25285/01 for comparison between BS EN 1634-3:2004 and BS 476-31.1:1983 testing, allowing smoke seals tested to BS EN 1634-3:2004 to be included within the scope of this certificate.

It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.