

Fire Resistant Partitions Scheme
Certificate Number: IFCC 1892

kiwa

certification

Initial Certification: 17 January 2024 Revised: 05 February 2026
Valid to: 16 January 2029 Issue No: 12

Issued by **IFC Certification Ltd** part of the Kiwa UK Group

This is to certify that

Forza Doors Limited

Star Road Trading Estate
24a/24c Star Road
Partridge Green, Horsham
West Sussex, RH13 8RA
Tel: +44 (0)1403 711126
Email: technical@forza-doors.com

Who fabricate the following fire-resistant glazed timber screens:

Fire Screen
Imola Screen

have successfully completed the requirements of the SDP 21 Fire Rated Partitions scheme v2.1. This includes the testing of products to **BS 476: Part 22: 1987** the inspection of their Factory Production Control and continuing surveillance assessments and testing of samples of products taken from production. The product specification and field of application to achieve from **30 to 60 minutes integrity** is detailed in page 2 of this certificate.



David Mowatt
Head of IFC Certification /
Kiwa UK

This certificate consists of 2 pages. Publication of this certificate is permitted



Certificate is only valid if verified on the website.
Check the validity of this certificate by scanning this
QR Code or visiting www.ifccertification.com/search/

KIWA
IFC Certification Ltd
Ground Floor, Suite A
Building 2,
Bear Brook Office Park
Walton Street, Aylesbury,
Bucks, HP21 7GQ

e
+
t
o
C
e
r
t
i
f
i
c
a
t
e
C
e
r
t
i
f
i
c
a
t
e

The production of fire-resistant glazed partition systems are manufactured in accordance with the assessment/ test reports referenced within the following table:

Product Description	Fire Rating	Assessment/ Test Report
Fire Screen	30 & 60 mins	PAR/11294/01
Imola Screen	30 mins	PAR/11294/01

Signed on behalf of Kiwa UK



David Mowatt
Head of IFC Certification /
Kiwa UK

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.